HOT WIRE ANEMOMETER WITH REAL TIME DATA LOGGER

NEW

C

HHF2005HW

$599

1 YEAR WARRANTY NIST

Optional

- **Real Time Data Logger Records Year, Month, Date, Hour, Minute and Second—Up to 16,000 Records**
- **Hot Wire Technology for High Precision, Low Velocity Air Measurements**
- **RS232 Serial Interface and Software Available**
- **Battery Powered Meter Includes Hard Carrying Case for Easy Portability**
- **Slim Telescopic Probe is Ideal For Grilles and Diffusers**
- **Jumbo LCD With Multiple Displays Can be Adjusted for Brightness**
- **Adjustable Sampling Time, Zero Adjust and Data Hold Features**
- **Accepts Type J or K Thermocouple**



HHF2005HW, $599, shown smaller than actual size.

The HHF2005HW hot wire anemometer with real time data logger has multiple features and an RS232 computer interface that make it suitable to use in such applications as environmental testing, balancing of fans/motors/blowers, air conveyors, clean rooms and flow hoods. What sets the HHF2005HW apart from other hot wire anemometers is that it incorporates a real-time data logger that can store up to 16,000 entries. The HHF2005HW measures velocity, and air temperature, and has an input probe socket that accepts a Type J or K thermocouple that can be used as a highly accurate thermometer. By entering the area into the instrument and measuring the velocity, the HHF2005HW can even determine the volume of air flow. The integrated hot wire and standard thermistors provide fast and accurate readings—even at low velocities. For added convenience, the HHF2005HW is battery powered, has auto power off and low battery warning features. A hard carrying case is included, to make portability simple.

Hard carrying case, operators manual, 1 CR2032 battery and 4 "AA" batteries included.

SPECIFICATIONS

Display Units: m/s, km/h, mile/h, knot, ft/min, CMM, CFM, °C, °F
Operating Temperature: 0 to 50°C (32 to 122°F)
Max Humidity: Less than 80% relative humidity (non-condensing)
Sampling Time: 2 sec to 8 hours, 59 min, 59 sec
Power Supply: 4 "AA" and 1 CR2032 batteries (included)
Current: Approx 21.5 mA DC (70 mA DC with hot wire probe)
Weight: Approx 515 g (1.13 lb)
Dimensions:
Instrument: 203 x 76 x 38 mm (8.0 x 3.0 x 1.5")
Telescopic Probe: 12 mm (0.5") dia, 280 to 940 mm (11.0 to 37.0") length
LCD Display: 58 x 34 mm (2.3 x 1.3")

Measurement	Range	Resolution	Accuracy
m/s	0.2 to 20 m/s	0.1 m/s	± (5% + lsd) reading or ± (1% + lsd) full scale
km/hr	0.7 to 72 km/hr	0.1 km/hr	
mile/hr	0.5 to 44.7 mile/hr	0.1 mile/hr	
knot	0.4 to 38.8 knot	0.1 knots	
ft/min	40-3940 ft/min	1 ft/min	
Air temp (˚C)	0 to 50°C	0.1°C	± 0.8°C
Air temp (˚F)	32 to 122°F	0.1°F	± 1.5°F
Thermometer (Type J thermocouple)	-100.0 to 1100°C	0.1°C	± (0.2% + 0.5°C)
	-50.1 to -100°C		± (0.2% + 1°C)
	-58.0 to 2012°F	0.1°F	± (0.2% + 1°F)
	-58.1 to -148°F		± (0.2% + 1.8°F)
Thermometer (Type K thermocouple)	-50.0 to 1300°C	0.1°C	± (0.2% + 0.5°C)
	-50.1 to -100°C		± (0.2% + 1°C)
	-58.0 to 2372°F	0.1°F	± (0.2% + 1°F)
	-58.1 to -148°F		± (0.2% + 1.8˚F)

Measurement	Range	Resolution	Area
CMM	0 to 36,000 CMM	0.001-1 CMM	0.001 to 30.0 m^2
CFM	0 to 1,271,200 CFM	0.01-100 CFM	0.01 to 322.91 ft^2

MOST POPULAR MODELS HIGHLIGHTED!

To Order *(Specify Model Number)*

Model No.	Price	Description
HHF2005HW	**$599**	Hot wire anemometer with data logger
HHF2005HW-RP	**140**	Replacement probe for HHF2005HW
SWCABLE	**97**	Data logging software for the HHF2005 series with cables
CAL-3-FLOW	**225**	NIST traceable 4-point calibration certificate
OP-6	**340**	Reference Book: Fundamentals of Temperature, Pressure and Air Flow Measurement

Comes complete with sensor, 1 CR2032 battery, 4 "AA" batteries, hard carrying case and operator's manual.
***Ordering Example: HHF2005HW**, hot wire anemometer with data logger, **$599**.*

omega.com®

Your One-Stop Source for Process Measurement and Control!

One Omega Drive | Stamford, CT 06907 | 1-888-TC-OMEGA (1-888-826-6342) | info@omega.com

www.omega.com

UNITED STATES
www.omega.com
1-800-TC-OMEGA
Stamford, CT.

CANADA
www.omega.ca
Laval(Quebec)
1-800-TC-OMEGA

GERMANY
www.omega.de
Deckenpfronn, Germany
0800-8266342

UNITED KINGDOM
www. omega.co.uk
Manchester, England
0800-488-488

FRANCE
www.omega.fr
Guyancourt, France
088-466-342

CZECH REPUBLIC
www.omegaeng.cz
Karviná, Czech Republic
596-311-899

BENELUX
www.omega.nl
Amstelveen, NL
0800-099-33-44

More than 100,000 Products Available!

- **Temperature**

Calibrators, Connectors, General Test and Measurement Instruments, Glass Bulb Thermometers, Handheld Instruments for Temperature Measurement, Ice Point References, Indicating Labels, Crayons, Cements and Lacquers, Infrared Temperature Measurement Instruments, Recorders Relative Humidity Measurement Instruments, RTD Probes, Elements and Assemblies, Temperature & Process Meters, Timers and Counters, Temperature and Process Controllers and Power Switching Devices, Thermistor Elements, Probes and Assemblies, Thermocouples Thermowells and Head and Well Assemblies, Transmitters, Wire

- **Flow and Level**

Air Velocity Indicators, Doppler Flowmeters, Level Measurement, Magnetic Flowmeters, Mass Flowmeters, Pitot Tubes, Pumps, Rotameters, Turbine and Paddle Wheel Flowmeters, Ultrasonic Flowmeters, Valves, Variable Area Flowmeters, Vortex Shedding Flowmeters

- **pH and Conductivity**

Conductivity Instrumentation, Dissolved Oxygen Instrumentation, Environmental Instrumentation, pH Electrodes and Instruments, Water and Soil Analysis Instrumentation

- **Data Acquisition**

Auto-Dialers and Alarm Monitoring Systems, Communication Products and Converters, Data Acquisition and Analysis Software, Data Loggers Plug-in Cards, Signal Conditioners, USB, RS232, RS485 and Parallel Port Data Acquisition Systems, Wireless Transmitters and Receivers

- **Pressure, Strain and Force**

Displacement Transducers, Dynamic Measurement Force Sensors, Instrumentation for Pressure and Strain Measurements, Load Cells, Pressure Gauges, Pressure Reference Section, Pressure Switches, Pressure Transducers, Proximity Transducers, Regulators, Strain Gages, Torque Transducers, Valves

- **Heaters**

Band Heaters, Cartridge Heaters, Circulation Heaters, Comfort Heaters, Controllers, Meters and Switching Devices, Flexible Heaters, General Test and Measurement Instruments, Heater Hook-up Wire, Heating Cable Systems, Immersion Heaters, Process Air and Duct, Heaters, Radiant Heaters, Strip Heaters, Tubular Heaters

• ***click here to go to the omega.com home page*** •